

## HeartCode® BLS Virtual Skills (Infant)

### Infant CPR Skills Testing Checklist

The HeartCode BLS Virtual Skills session is for candidates who pass the HeartCode BLS online portion and have knowledge of BLS skills but cannot attend an in-person, hands-on skills testing portion of the HeartCode BLS Course, which is required for the BLS Provider course completion card.

### Directions for the Instructor

Use the step-action table and skills descriptors that follow to assess the performance of proper CPR on an infant (Table).

To begin, provide the appropriate scenario to the candidate. Check the boxes in the step-action table only when the student successfully completes the corresponding steps.

#### Before you begin:

Students must be in a quiet area with limited distractions.

- The student or the instructor is required to use a metronome set for 110 beats per minute.
- The instructor must verify that they can hear the metronome, to confirm rate; hear the manikin click, to confirm compression depth; and clearly hear the student speak.
- Be sure the student adjusts their audio settings for background noise suppression. Set noise suppression to low or off. (You'll find helpful tips and tricks for doing this in the HeartCode BLS Virtual Skills Instructor Guidelines.)

### Scenarios

**Hospital scenario:** "You are working in a hospital or clinic when a woman runs through the door carrying an infant. She shouts, 'Help me! My baby's not breathing.' You have gloves and a pocket mask. You send your coworker to activate the emergency response system and to get the emergency equipment."

**Prehospital scenario:** "You arrive on the scene for an infant who is not breathing. No bystander CPR has been provided. You approach the scene and ensure that it is safe. Demonstrate what you would do next."

**Table. Virtual Infant CPR Testing—Instructor Checklist**

Step	Student action for virtual infant CPR	Instructor comments
<p>1</p> <p>Check each box only if the skill is performed successfully.</p>	<p><input type="checkbox"/> Verbalizes and demonstrates checking responsiveness</p> <p><input type="checkbox"/> Shouts for help/activates emergency response system</p> <p><input type="checkbox"/> Verbalizes and demonstrates checking for breathing</p> <p><input type="checkbox"/> Verbalizes and demonstrates checking pulse</p>	

Step	Student action for virtual infant CPR	Instructor comments
<b>2</b>  Make sure that you hear the manikin click with each compression.	Demonstrates performing high-quality CPR, including <ul style="list-style-type: none"> <li><input type="checkbox"/> 2 fingers or 2 thumbs in the center of the chest, just below the nipple line</li> <li><input type="checkbox"/> 30 compressions in no less than 15 seconds and no more than 18 seconds</li> <li><input type="checkbox"/> Compresses at least one third the depth of the chest, or approximately 1½ inches (4 cm), with complete chest recoil after each compression</li> </ul>	
<b>3</b>	<b>Cycle 1:</b> Gives 2 breaths with a barrier device <ul style="list-style-type: none"> <li><input type="checkbox"/> Demonstrates giving each breath over 1 second with visible chest rise with each breath</li> <li><input type="checkbox"/> Resumes compressions in less than 10 seconds</li> </ul>	
<b>4</b>	<b>Cycle 2:</b> Repeats Cycle 1: <ul style="list-style-type: none"> <li><input type="checkbox"/> Gives 2 breaths, each over 1 second</li> <li><input type="checkbox"/> Resumes compressions in less than 10 seconds</li> </ul>	
<b>5</b>	<input type="checkbox"/> Verbally directs Rescuer 2 with bag-mask device to begin ventilation while Rescuer 1 continues compressions with 2 thumb—encircling hands technique	
<b>6</b>	<b>Cycle 3:</b> Rescuer 1 performs high-quality compressions: <ul style="list-style-type: none"> <li><input type="checkbox"/> 15 compressions with the 2 thumb—encircling hands technique</li> <li><input type="checkbox"/> 15 compressions in no less than 7 seconds and no more than 9 seconds</li> <li><input type="checkbox"/> Compressions at least one third the depth of the chest, or approximately 1½ inches (4 cm)</li> <li><input type="checkbox"/> Ensures complete recoil after each compression</li> </ul>	

Step	Student action for virtual infant CPR	Instructor comments
7	<p><b>Cycle 4:</b> Rescuer 1 gives 2 breaths with a bag-mask device:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Demonstrates giving each breath over 1 second with visible chest rise with each breath</li> <li><input type="checkbox"/> Resumes compressions in less than 10 seconds</li> </ul>	

**STOP TEST**

**Instructor Notes**

- Place a check in the box next to each step the student completes successfully.
- If the student does not complete all steps successfully (as indicated by at least 1 blank check box), the student must receive remediation. Make a note here of which skills require remediation (refer to instructor manual for information about remediation).

<b>Test Results</b>	Circle <b>PASS</b> or <b>NR</b> to indicate pass or needs remediation:	<b>PASS</b>	<b>NR</b>
Instructor Initials _____	Instructor Number _____	Date _____	